ELSEVIER

Physica C 263 (1996) xiii–xix

PHYSICA C

Contents

Preface vii

Professor M. Tachiki viii

His favorite poem ix

Organizing Committees and Sponsors x

Mt. Iwate and the Participants xi

1. THEORY

1.1. Theory of Superconductivity

Some exotic phenomena related to vortices in high-T_c and heavy fermion superconductors
M. Tachiki, T. Koyama and S. Takahashi 1

Points, lines and planes: vortex pinning in high-temperature superconductors
D.R. Nelson 12

Monte Carlo study of vortex-line dynamics with correlated disorders
R. Sugano, T. Onogi and Y. Murayama 17

Computer simulation of the magnetization process in a pulse external field
Y. Enomoto, Y. Ishikawa and S. Maekawa 21

The effect of internal orbital motion in 2D d-wave superconductors
T. Koyama and M. Tachiki 25

Theory of a generalized Fulde–Ferrell–Larkin–Ovchinnikov state in heavy fermion and intermediate-valence superconductors
S. Takahashi, M. Tachiki, R. Modler, P. Gegenwart, M. Lang and F. Steglich 30

1.2. Theory of strong correlation

Anomalous metallic state in two dimensions
H. Fukuyama 35

Theory of the Cu–O metals
C.M. Varma 39

Charge ordering in high-temperature superconductors
V.J. Emery and S.A. Kivelson 44

Fermi liquid phenomenology combined with scaling theory of the metal–insulator transition
M. Imada 49

Interlayer charge dynamics of high-T_c cuprates
N. Nagaosa 54

Anomalous low-energy excitations in strongly correlated electron systems
S. Maekawa, T. Tohyama and S. Yunoki 61

Effects of two-site local correlation in the 2D Hubbard model
H. Matsumoto, S. Odashima, F. Mancini and S. Marra 66

Magnetic properties of the two-dimensional Hubbard model
F. Mancini, S. Marra and H. Matsumoto 70

Renormalizations of the Landau Fermi-liquid parameter in the Hubbard model and the three-band model
T. Saikawa, C. Ohmori, H. Kaga and P. Fulde 74

High-frequency Hall coefficient for the two-dimensional Hubbard model
F.F. Assaad and M. Imada 78

Electron–phonon interaction and spin gap in nearly-half-filled correlated electron systems
K. Yonemitsu and M. Imada 82

A Hubbard model study of antiferromagnetic ground states as a function of external magnetic field
H. Doh and S.-H.S. Salk 86

Quantum Monte Carlo study of a magnetic impurity in a strongly correlated electron system
S. Yunoki, Y. Mizuno and S. Maekawa 90

Impurity effect in the 2D t–J model
Y. Ohta, M. Murase, R. Eder and S. Maekawa 94

Spin fluctuations in an itinerant Heisenberg system. Naive RPA and vertex correction
J.-I. Kishine. 99

Doping dependence of the spectral function in the t–J model
R. Eder and Y. Ohta 104

Low energy excitations of the Anderson lattice model
K. Tsutsui, Y. Ohta, R. Eder, S. Maekawa, E. Dagotto and J. Riera 107

Spin correlations in 1D Hubbard model at low temperatures and small dopings
Y. Iino and M. Imada 111

Spin gap in generalized spin models with dimerization and the model for CaV_4O_9
N. Katoh and M. Imada 114

Dynamics of a hole in spin 1 chain
W. Koshibae, Y. Ohta and S. Maekawa 118

A model for high-T_c superconductivity based on charge confinement and a possible experimental verification by charge Kosterlitz–Thouless transition
K. Fukushima and H. Sato 122

A new theory of high-temperature superconductivity in cuprates
H. Kamimura, S. Matsuno, Y. Suwa and H. Ushio 126

Electronic structure and effective Hamiltonian in perovskite Mn oxides
S. Ishihara, J. Inoue and S. Maekawa 130

Magnetic and transport properties of $(La,Sr)MnO_3$
N. Furukawa 134

Effects of Hund coupling on magneto-transport in perovskite Mn oxides
J. Inoue and S. Maekawa. 138

Dynamics of a carrier in the antiferromagnetic state with strong Hund coupling
S. Akazawa, J. Inoue and S. Maekawa 142

2. EXPERIMENT

2.1. Cuprate superconductors, materials and syntheses

Homologous series of layered cuprates
H. Yamauchi, M. Karppinen and S. Tanaka 146

Generation of superconducting oxycarbonates and layered cuprates through shearing mechanisms
B. Raveau, M. Hervieu and C. Michel 151

Local electrochemical oxidation/reduction: first step towards a new lithography?
J.-P. Locquet 160

Sudden disappearance of *c*-axis dissipation in single-crystalline $Bi_2Sr_2CaCu_2O_{8+\delta}$
K. Kadowaki 164

Development of Ag-sheathed Bi(2223) superconducting wires and coils
M. Ueyama, K. Ohkura, K. Hayashi, S. Kobayashi, K. Muranaka, T. Hikata, N. Saga, S. Hahakura and K. Sato 172

The nuclear density of YBCO by the maximum entropy method using neutron powder data
M. Takata, E. Nishibori, T. Takayama, M. Sakata, K. Kodama, M. Sato and C.J. Howard 176

Effect of growth conditions on crystal morphology and superconductivity of Bi-2212 oxide
G.D. Gu, T. Egi, N. Koshizuka, P.A. Miles, G.J. Russell and S.J. Kennedy 180

STM/STS measurements on clean and stable surfaces of as-prepared $Nd_1Ba_2Cu_3O_y$ single crystals
W. Ting, T. Egi, R. Itti, K. Kuroda, N. Koshizuka and S. Tanaka 185

Cation substitution and deoxygenation effect on superconductivity of Tl–Sr1212 cuprate
E. Ohshima, M. Kikuchi, M. Nagoshi and Y. Syono 189

AgI-intercalation into $Bi_2Sr_2CaCu_2O_z$ compound
Y. Muraoka, N. Ohnishi, M. Nagoshi, Y. Morioka, M. Kikuchi, K. Hiraga, N. Kobayashi and Y. Syono 193

Superconductivity and crystal growth of YBCO grown under 1 atm oxygen pressure
X. Yao, T. Mizukoshi, M. Egami and Y. Shiohara 197

Crystal structure of the superconductor $Ca_2Sr_2Cu_3GaO_9$ prepared at high pressure
N.R. Khasanova, F. Izumi, E. Takayama-Muromachi and A.W. Hewat 200

Synthesis conditions and superconductivity of $Pb_{0.7}Cu_{0.3}Sr_2Y_{0.5}Ca_{0.5}Cu_2O_y$
M. Kikuchi, M. Shida, E. Ohshima, Y. Muraoka and Y. Syono 204

2.2. Pairing symmetry

Doping dependence of $Bi_2Sr_2CaCu_2O_{8+\delta}$ in the normal state
A.G. Loeser, D.S. Dessau and Z.-X. Shen 208

On the superconducting gap structure of high-temperature superconductors by STM/STS
K. Kitazawa, H. Sugawara and T. Hasegawa 214

Properties of normal metal/dielectric/high-T_c junctions obtained by in-situ oxidation
D. Racah and G. Deutscher 218

STM/STS and electronic specific heat of high-T_c cuprates. Symmetry of the order parameter
M. Ido, M. Oda, N. Momono, C. Manabe and T. Nakano 225

Half-integer flux quantum effect in tricrystal cuprate superconductors
C.C. Tsuei, J.R. Kirtley, M. Rupp, J.Z. Sun, C.C. Chi, A. Gupta, L.S. Yu-Jahnes and M.B. Ketchen 232

Tunneling effects in d-wave superconductors
Y. Tanaka, S. Kashiwaya, M. Koyanagi and K. Kajimura 238

STM and STS studies on the superconducting gap symmetry of $Bi_2Sr_2CaCu_2O_{8+\delta}$
M. Oda, C. Manabe, T. Abe and M. Ido 241

Anisotropy of the energy gap structure of high-T_c oxides observed by STM/STS
S. Tanaka, E. Ueda, M. Sato, K. Tamasaku and S.-i. Uchida 245

Superconducting energy gap of $La_{1.85}Sr_{0.15}CuO_4$ single crystals from break-junction tunneling
T. Ekino, T. Doukan, H. Fujii, F. Nakamura, S. Sakita, M. Kodama and T. Fujita 249

Cu/Tl-NMR study on the impurity effect for Tl-based high-T_c cuprate in the over-doped region
T. Goto, S. Nakajima, M. Kikuchi, Y. Syono and T. Fukase 253

Superconductivity-induced B_{2u} phonon anomalies of $YBa_2Cu_3O_{6+x}$ and symmetry of the order parameter. Neutron inelastic scattering studies
H. Harashina, K. Kodama, S. Shamoto, M. Sato, K. Kakurai and M. Nishi 257

Anisotropy of superconductivity in an untwinned $YBa_2Cu_3O_7$ single crystal
T. Ishida, K. Inoue, K. Okuda, H. Asaoka, Y. Kazumata, K. Noda and H. Takei 260

2.3. Electronic states

Zn-doping effects on the charge dynamics in high-T_c copper oxides. Spin-gap effect and Josephson plasma in the underdoped regime
S. Uchida, Y. Fukuzumi, K. Takenaka and K. Tamasaku 264

Anomalous metallic phase in Cu oxides and other 2D Mott systems
M. Sato 271

Specific heat and susceptibility determination of the pseudogap in $YBCO_{7-\delta}$
W.Y. Liang, J.W. Loram, K.A. Mirza, N. Athanassopoulou and J.R. Cooper 277

Transport properties of detwinned crystals of $La_{2-x}Sr_xCuO_4$
F. Nakamura, M. Kodama, S. Sakita, Y. Maeno and T. Fujita 282

Electronic states and superconducting properties of $Bi_2Sr_2(Ca, Gd)Cu_2O_y$ studied by X-ray photoelectron and inverse-photoemission spectroscopy
N. Sanada, T. Nakadaira, M. Shimomura, Y. Suzuki, Y. Fukuda, M. Nagoshi, Y. Syono and M. Tachiki 286

Ultrasonic and La-NMR study on structural phase transitions and antiferromagnetic ordering in $La_{2-x-y}Ba_xCe_yCu_{1-z}Zn_zO_4$ ($x \cong 1/8$)
K. Seki, T. Goto and T. Fukase 290

Core-level binding energy as a probe for charge distributions in high-T_c cuprates
M. Nagoshi, Y. Syono, M. Tachiki and Y. Fukuda 294

Correlation between superconductivity, electronic state and crystal structure in $La_{2-y-x}Bi_yBa_xCuO_4$
S. Takeuchi, C. Imazawa, S. Katano, M. Kato, Y. Ono, T. Kajitani and Y. Koike 298

Anisotropic magnetoresistance in slightly overdoped $YBa_2Cu_3O_y$ crystals
I. Terasaki, Y. Sato, S. Tajima and S. Tanaka 302

Influence of Cu site impurities on the thermal conductivity of $YBa_2Cu_3O_{7-\delta}$
H. Fujishiro, M. Ikebe, K. Nakasato and K. Noto 305

Thermal conductivity of $REBa_2Cu_3O_7$ (RE = Y,Dy,Sm,Nd) superconducting oxides
M. Ikebe, H. Fujishiro, K. Nakasato and K. Noto 309

Magnetoresistance and high-temperature resistivity of $Bi_{2.1}Sr_{1.9}Ca_{1.0}Cu_2O_{8+\delta}$ single crystals
T. Watanabe and A. Matsuda 313

Magnetoresistance of superconducting $Nd_{2-x}Ce_xCuO_4$ in magnetic fields parallel to the c-axis
Y. Yamasaki, T. Fukami, T. Nishizaki, F. Ichikawa, T. Aomine, S. Kubo and M. Suzuki 317

Transport properties of localized states in $Bi_2Sr_2CuO_6$ single crystals
K. Inagaki, K. Yamaya and S. Tanda 321

Transport properties of metallic cuprates $La_6BaLnCu_8O_{20}$ (Ln : lanthanide)
T. Tamegai, T. Shimura, J. Suzuki and T. Shibauchi 325

Dimensionality, T_c and Cu-site substitution effect of iodine-intercalated and oxidized $Bi_2Sr_2CaCu_2O_{8+\delta}$: Interpretation by the multilayer model
Y. Koike, A. Fujiwara, T. Kluge, T. Noji, T. Nishizaki, N. Kobayashi, A. Yamanaka, F. Minami and S. Takekawa 329

T_c-suppression mechanism of Pr-doping in (R, Pr)$Ba_2Cu_3O_7$
K. Kodama, S. Shamoto, H. Harashina, M. Sato, M. Nishi and K. Kakurai 333

Oxygen concentration dependence of superconductivity in Pr-substituted $Ln_{1-x}Pr_xBa_2Cu_3O_{7-y}$ (Ln = Y, Nd, Gd)
K. Koyama, T. Tange, Y. Kitamura, T. Saito and K. Mizuno 336

Direct observation of Pr–CuO_2 hybridization in $PrBa_2Cu_3O_{7-\delta}$ by the MEM charge density study
M. Takata, T. Takayama, M. Sakata, S. Sasaki, K. Kodama and M. Sato 340

The phase diagram of the new superconductor $Sr_2CuO_2(CO_3)_{1-x}(BO_3)_x$
H. Nakata, H. Okajima, T. Yokoo, A. Yamashita, J. Akimitsu and S. Katano 344

2.4. Spin states

Spin fluctuations in superconducting $La_{1-x}Sr_xCuO_4$
Y. Endoh, K. Yamada, S. Wakimoto, C.H. Lee, S. Hosoya, R.J. Birgeneau, M. Greven, M.A. Kastner and G. Shirane 349

NMR study on magnetic phase transition in electron-doped cuprate $(La_{1-y}Y_y)_{2-x}Ce_xCuO_4$ with T′-type structure
T. Goto, K. Chiba, M. Fukunaga and T. Fukase 355

Magnetic susceptibility of the orthorhombic 2D-antiferromagnet $YSr_2Cu_2GaO_7$
A.I. Rykov, Y. Ueda and A. Hayashi 359

Phonon and two-magnon Raman scattering in $Pb_2Sr_2Ho(Y)_{1-x}Ca_xCu_3O_{8+\delta}$
S. Sugai, N. Kitamori, N. Yamane, T. Noji and Y. Koike 363

Zn and Ni doping effects on T_c and spin gap behavior in $YBa_2Cu_4O_8$ and $YBa_2Cu_3O_{6.6}$
G.-q. Zheng, T. Odaguchi, Y. Kitaoka, K. Asayama, Y. Kodama, K. Mizuhashi and S. Uchida 367

Spin correlations in the normal state of a $Bi_2Sr_2CaCu_2O_8$ single crystal
K. Ishida, Y. Kitaoka, K. Asayama, K. Kadowaki and T. Mochiku 371

^{63}Cu NMR investigation of $HgBa_2Ca_2Cu_3O_{8+\delta}$
K. Magishi, G.-q. Zheng, Y. Kitaoka, K. Asayama, K. Tokiwa, A. Iyo and H. Ihara 375

Quantum ground states and spin-fluctuation spectrum in high-T_c Cu oxides
Y. Itoh 378

2.5. Vortex states, critical current

The Josephson plasma mode in $Bi_2Sr_2CaCu_2O_8$ and quasi-particle mean-free-path in $YBa_2Cu_3O_7$
O.K.C. Tsui, K. Krishana, J.M. Harris, N.P. Ong and J.B. Peterson 381

Time relaxation of persistent currents in $YBa_2Cu_3O_{7-x}$ crystals with columnar defects
L. Civale, G. Pasquini, P. Levy, G. Nieva, D. Casa and H. Lanza 389

Critical currents of OCMG processed Nd123 crystals
T. Higuchi, S.I. Yoo, K. Sawada, N. Sakai and M. Murakami 396

Time-dependent Ginzburg–Landau simulations of vortex guidance by twin boundaries
G.W. Crabtree, G.K. Leaf, H.G. Kaper, V.M. Vinokur, A.E. Koshelev, D.W. Braun, D.M. Levine, W.K. Kwok and J.A. Fendrich. 401

Magnetization jump due to the first-order vortex lattice melting transition in $YBa_2Cu_3O_y$ single crystals
Y. Onodera, T. Nishizaki, N. Kobayashi, H. Asaoka and H. Takei. 409

Study of magnetic flux in a Bi2212 single crystal by torsional oscillation
H. Niimi, K. Inoue, S. Kawamata and K. Okuda 412

Interlayer Josephson coupling in Bi–Sr–Ca–Cu–O single crystals
T. Yasuda, R. Kondo, S. Takano, T. Fukami and T. Aomine. 416

Tilt angle effect of intrinsic flux pinning in a single crystal of $La_{1.85}Sr_{0.15}CuO_4$
T. Fukase, M. Kamata, K. Ishizuka, T. Suzuki, T. Goto and T. Sasaki. 420

Current–voltage characteristics of $YBa_2Cu_3O_{7-\delta}$ films at low magnetic fields
T. Nojima, T. Ishida and Y. Kuwasawa 424

Vortex core structure and possible pairing mixture in d-wave superconductors
K. Machida, M. Ichioka, N. Hayashi and N. Enomoto 428

Asymptotic power spectrum analysis of electrical noise in the vortex state of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals
Y. Zhao, G.D. Gu, S.H. Han, G.J. Russell and N. Koshizuka 431

Doping level dependence of magnetization anomalies and heat capacity of $Bi_2Sr_2CaCu_2O_{8+\delta}$ in the mixed state
T. Hanaguri, T. Tsuboi, A. Maeda, T. Nishizaki, N. Kobayashi, Y. Kotaka, J.-i. Shimoyama and K. Kishio. 434

Nonlinear Meissner effect of the cuprate superconductors investigated by London penetration depth measurement
A. Maeda, T. Hanaguri, Y. Iino, S. Masuoka, Y. Matsushita, M. Hasegawa and H. Takei 438

Irreversibility line and second peak in the magnetization curves of $Pb_2Sr_2Y_{1-x}Ca_xCu_3O_8$ single crystals
T. Noji, T. Takabayashi, T. Nishizaki, N. Kobayashi and Y. Koike 442

Dynamics of flux creep in high-T_c oxide superconductors
T. Fujiyoshi, T. Sueyoshi, H. Kawamura, K. Miyahara and H. Kubota 446

Critical current density of filamentary Y123 superconductor
T. Goto 450

Fluxon motion in the stacked intrinsic Josephson junctions in $Bi_2Sr_2CaCu_2O_y$ single crystals
G.-i. Oya and A. Irie 453

Microwave response in the vortex state of $Bi_2Sr_2CaCu_2O_{8+\delta}$
Y. Matsuda, M.B. Gaifullin, K. Kumagai, K. Kadowaki and T. Mochiku 457

Vortex-glass superconductivity of CuO_2 trilayers in BSCCO single crystals
S.H. Han, Y. Zhao, G.D. Gu, G.J. Russell and N. Koshizuka 461

Successive transitions of a hierarchical nature in a superconductive ceramic of $YBa_2Cu_4O_8$. Electrical resistivity
T. Yamao, M. Kawachi, M. Hagiwara and M. Matsuura 464

2.6. New low-dimensional magnets

Spin ladder compounds
M. Takano 468

Metal–insulator transition in the $S = \frac{1}{2}$ spin ladder system $(Sr_{0.4}Ca_{0.6})_{14}Cu_{24-x}Co_xO_{41-\delta}$
J. Akimitsu, M. Uehara, T. Nagata, S. Matsumoto, Y. Kitaoka, H. Takahashi and N. Môri 475

Transport and magnetic properties of the spin-$\frac{1}{2}$ ladder system $(Sr,A)_{14}Cu_{24}O_{41}$ (A = Ba and Ca)
M. Kato, K. Shiota, S. Ikeda, Y. Maeno, T. Fujita and Y. Koike 482

Microscopic magnetic property and electronic state of the spin-Peierls compound $CuGeO_3$: $^{63,65}Cu$ and ^{17}O NMR studies
M. Itoh, M. Sugahara, S. Hirashima, T. Yamauchi and Y. Ueda 486

2.7. Heavy fermions and exotic superconductors

Non-Fermi liquid behavior in chemically-substituted f-electron compounds
M.B. Maple, M.C. de Andrade, J. Herrmann, S.H. Han, R. Movshovich, D.A. Gajewski and R. Chau 490

Experimental evidence for a generalized FFLO state in clean type-II superconductors with short coherence length and enhanced Pauli susceptibility
F. Steglich, R. Modler, P. Gegenwart, M. Deppe, M. Weiden, M. Lang, C. Geibel, T. Lühmann, C. Paulsen, J.L. Tholence, Y. Ōnuki, M. Tachiki and S. Takahashi 498

Extended van-Hove singularity in Sr_2RuO_4 observed by angle-resolved photoemission
T. Yokoya, A. Chainani, T. Takahashi, H. Katayama-Yoshida, M. Kasai and Y. Tokura 505

Calculation of thermodynamic and transport properties of Sr_2RuO_4 at low temperatures using known Fermi surface parameters
A.P. Mackenzie, S.R. Julian, A.J. Diver, G.G. Lonzarich, N.E. Hussey, Y. Maeno, S. Nishizaki and T. Fujita 510

Electronic Raman scattering spectra of Sr_2RuO_4 single crystals
A. Yamanaka, N. Asayama, M. Sasada, K. Inoue, M. Udagawa, S. Nishizaki, Y. Maeno and T. Fujita 516

Anisotropic superconductivity of Sr_2RuO_4
K. Yoshida, Y. Maeno, S. Nishizaki and T. Fujita 519

Superconductivity in $Li(Ti_{1-x}V_x)_2O_4$
N. Kijima, P.D. Kichambare, H. Honma, S. Ebisu and S. Nagata 523

NMR study of quaternary superconductors RT_2B_2C (R = Y,La,Th, and T = Ni,Pd,Pt)
S. Ikeda, K. Kumagai, J. Jiang, M.S. Lin, C.C. Lai and H.C. Ku 526

Analysis of the tunneling characteristics of $Ba_{1-x}K_xBiO_3$ superconducting thin films based on the gap-energy distribution model
T. Yamamoto, S. Suzuki, K. Takahashi and Y. Yoshisato 530

Hall effect in the mixed state of the organic superconductor κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$
A. Matsuyama, T. Sasaki, T. Fukase and N. Toyota 534

Resistive jump and hysteresis in the vortex state of the organic superconductor κ-$(BEDT\text{-}TTF)_2Cu(NCS)_2$
T. Sasaki, A. Matsuyama and T. Fukase 538

2.8. Metal–insulator transition in transition metal oxides

Magnetic-field-induced insulator–metal phenomena in perovskite manganese oxides
Y. Tokura, Y. Tomioka, H. Kuwahara, A. Asamitsu, Y. Moritomo and M. Kasai 544

Single crystal growth of $BaCo_{1-x}Ni_xS_2$
S. Shamoto, S. Tanaka, E. Ueda and M. Sato 550

Studies of the metal–insulator transition of misfit-layer compounds $La_{1.17-x}Sr_xVS_{3.17}$
T. Nishikawa, Y. Yasui, Y. Kobayashi and M. Sato 554

$Sr_2CaRu_2O_y$: a new phase of layered perovskite
S. Ikeda, Y. Maeno, M. Nohara and T. Fujita 558

Index of Authors and Papers 563

Analytical Subject Index 571

Materials Index 575